

Annexure A – List of Cookies Used on the Axis Bank Website

The table below captures the cookie name, category, description, hostname and expiry period as per the cookie inventory shared for inclusion in the Cookie Policy annexure.

Name	Category	Description	Hostname	Expiry
ASP.NET_SessionID_QO22TPON4CAL45LNRI	NECESSARY	This is a necessary cookie used by websites built on the ASP.NET framework to maintain an anonymous user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
BIGipServerf5_onprem_SE_bot_protection_pool	NECESSARY	This cookie is used to distribute traffic to the website on multiple servers in order to optimize response times.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
XSRF-TOKEN	NECESSARY	This cookie is written to help with site security in preventing Cross-Site Request Forgery attacks.	giftcity.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
BIGipServerpaypro.axisbank.co.in	NECESSARY	Used to distribute traffic to the website on several servers to optimize response times.	paypro.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
f5avr1283770094aaaaaaaaaaaaaa_cspm_	NECESSARY	This cookie is used to integrate certain functions on the website.	digitalbanking.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E6767WDS	NECESSARY	This cookie is used by sites written in .NET. The main purpose of this cookie is to identify the users session on the server. The cookie only contains a reference to a session stored on the web server, keeping the user authenticated while they are actively using the website.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
f5avraaaaaaaaaaaaaaaaa_ssession_	NECESSARY	This cookie is used for managing sessions on websites that are powered by F5 Networks.	juno.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ApplicationGatewayAffinityCORS	NECESSARY	This cookie is used by Azure Apps to keep a user session on the same server.	refer.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ARRAffinitySameSite	NECESSARY	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's	.www.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		browsing session are always handled by the same server in the cluster.		
TS017f17d7	NECESSARY	Used to ensure traffic and user data is routed securely through the Microsoft Azure cloud platform.	.digitalbanking.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS01f5bca3	NECESSARY	This cookie is associated with the Akamai content delivery network (CDN) and is used to manage traffic distribution on the website.	.caas.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
privyConsent	NECESSARY	Used to store the user's cookie consent preferences.	axis.bank.in	0 year(s), 11 month(s), 31 day(s)
axisbiconnect	NECESSARY	Used by Axis Bank for online banking authentication and security purposes.	traveledge.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ARRAffinity	NECESSARY	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's browsing session are always handled by the same server in the cluster.	www.axis.bank.in	NaN year(s), NaN month(s), NaN day(s)
f5avraaaaaaaaaaaaaaaa_session_	NECESSARY	This cookie is used to track user sessions on the F5 Networks website.	maximus.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionId	NECESSARY	ASP.Net_SessionId is a cookie which is used to identify the users session on the server. The session being an area on the server which can be used to store session state in between http requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_8T4R5E21C6T2N5I	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_9TCBPHTFOFC4CRC	NECESSARY	This is a general purpose platform session cookie used to maintain an anonymous user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_37B51L7O62D9C50	NECESSARY	This is a general purpose platform session cookie that is used to maintain user session variables.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_ZBCKLS2E6767BHF	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
ASP.NET_SessionID_C2378CTRAK73ERAP8934PI523D	NECESSARY	This is a general purpose platform session cookie used to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_T2E6767CAPTCHAPCHK	NECESSARY	This cookie is used to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
Path	NECESSARY	Standard HTTP cookie that does not have a specific usage description.	neo.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS01a1f1d1	NECESSARY	This cookie is set by websites run on the Windows Azure cloud platform. It is used for load balancing to make sure the visitor page requests are routed to the same server in any browsing session.	.corpgiftcity.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
__cf_bm	NECESSARY	Cloudflare's bot products identify and mitigate automated traffic to protect your site from bad bots. Cloudflare places the __cf_bm cookie on End User devices that access Customer sites that are protected by Bot Management or Bot Fight Mode. The __cf_bm cookie is necessary for the proper functioning of these bot solutions.	t.co	0 year(s), 0 month(s), 1 day(s)
domain	NECESSARY	A domain cookie is a cookie that is set for the specific domain in the address bar of the browser.	prepaidcards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
domain	NECESSARY	A cookie that stores the user's domain name to distinguish unique visitors.	transitprepaid.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
f5avraaaaaaaaaaaaaaaa_session_	NECESSARY	Maintains user session state during page requests.	transitprepaid.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
RSJSESSIONID	NECESSARY	Preserves users sessions across page requests.	edgerewards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS0120775a	NECESSARY	This cookie is associated with the Microsoft Azure Application Gateway and is used for load balancing to manage server traffic demand.	.supernova.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
portal_web	NECESSARY	This cookie is essential for the functionality of the website and is used to	apiportal.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		manage user sessions.		
PHPSESSID	NECESSARY	Cookie generated by applications based on the PHP language. This is a general purpose identifier used to maintain user session variables. It is normally a random generated number, how it is used can be specific to the site, but a good example is maintaining a logged-in status for a user between pages.	pfb.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
_csrf	NECESSARY	This cookie is used to prevent Cross-site request forgery (often abbreviated as CSRF) attacks of the website.	pfb.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
domain	NECESSARY	Used to remember the user's selected domain preference on websites.	omni.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
f5avraaaaaaaaaaaaaaaaa_s ession_	NECESSARY	This cookie is essential for the website to operate securely.	corpgiftcity.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS01096f81	NECESSARY	Used by the social networking service, Twitter, to maintain user session state.	.neo.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
__cf_bm	NECESSARY	Cloudflare's bot products identify and mitigate automated traffic to protect your site from bad bots. Cloudflare places the __cf_bm cookie on End User devices that access Customer sites that are protected by Bot Management or Bot Fight Mode. The __cf_bm cookie is necessary for the proper functioning of these bot solutions.	twitter.com	0 year(s), 0 month(s), 1 day(s)
domain	NECESSARY	A cookie used to store the domain of the website you are visiting.	paypro.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
rzp_unified_session_id	NECESSARY	Maintains the user's session across page requests.	transitprepaid.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
XSRF-TOKEN	NECESSARY	This cookie is written to help with site security in preventing Cross-Site Request Forgery attacks.	edgerewards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
f5avraaaaaaaaaaaaaaaaa_s ession_	NECESSARY	This cookie is necessary for the Cloudflare service. It does not store any user	leap.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		information.		
TS01837214	NECESSARY	Used by the Microsoft Azure content delivery network to ensure a secure connection to the website.	.oauth.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
f5avraaaaaaaaaaaaaaaa_session_	NECESSARY	This cookie is essential for the security and integrity of the website. It is set by the F5 Traffic Management Operating System.	digitalbanking.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ARRAffinity	NECESSARY	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests from one visitor's browsing session are always handled by the same server in the cluster.	.www.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
PHPSESSID	NECESSARY	Cookie generated by applications based on the PHP language. This is a general purpose identifier used to maintain user session variables. It is normally a random generated number, how it is used can be specific to the site, but a good example is maintaining a logged-in status for a user between pages.	whistleblower.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E6767BHF	NECESSARY	This is a general purpose platform session cookie, used by sites written with Microsoft ASP.NET technology.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_37B51L7O62C9K50	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
__AntiXsrfToken	NECESSARY	This cookie is used to prevent Cross-site request forgery (often abbreviated as CSRF) attacks of the website. CSRF attacks exploit the trust that a site has in a user's browser.	fastag.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
rxvt2f4io6rn	NECESSARY	Used by the Zendesk platform to maintain the user's session.	.bank.in	56 year(s), 2 month(s), 2 day(s)
ARRAffinitySameSite	NECESSARY	When using Microsoft Azure as a hosting platform and enabling load balancing, this cookie ensures that requests	www.axis.bank.in	NaN year(s), NaN month(s), NaN day(s)

Name	Category	Description	Hostname	Expiry
		from one visitor's browsing session are always handled by the same server in the cluster.		
ASP.NET_SessionID_1231HBBN7BV	NECESSARY	This is a general purpose platform session cookie used to maintain an anonymous user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_ZBCKLHBHKJ796G5	NECESSARY	Used by ASP.NET to identify the current session information for the user.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_67BHHGFCFFSD65C	NECESSARY	A cookie set by Microsoft's ASP.NET technology to identify a user's session on the website.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_114N2T45E6R6SOT	NECESSARY	Used for ASP.NET session state management to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_8C004E17Q3U52E8	NECESSARY	A cookie used to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_6TBMHTFSFCSC6RC	NECESSARY	Maintains the user's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_37B51L7O62C9C50	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_I7JPUK8UIBSTJ4N	NECESSARY	ASP.NET_SessionID is a cookie used for tracking the user session on the website.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_2AM4LISL9TA0K17	NECESSARY	A general purpose platform session cookie. It is used to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
BIGipServerBCC_application.axisbank.co.in	NECESSARY	Used to distribute traffic to the website on several servers in order to optimize response times.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
Captcha	NECESSARY	Used to verify that the website visitor is a human and not a bot.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_98CCTRA2635CKERP62ANN23798O	NECESSARY	Used by ASP.NET to preserve the user's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDMAB2E6767RFH	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_T2E	NECESSARY	This cookie is used to	application.axis.bank.in	56 year(s), 2

Name	Category	Description	Hostname	Expiry
6767CAPTCHAPSME		maintain an anonymized user session by the server.		month(s), 2 day(s)
domain	NECESSARY	Used by Google Analytics to collect data about user behavior to optimize advertising campaigns.	web.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
axisbank	NECESSARY	Used by Axis Bank to maintain a user's session and ensure secure access to online banking services.	.axisbank.demdex.net	0 year(s), 5 month(s), 28 day(s)
prepaidcards	NECESSARY	Used to remember user's prepaid card details for better user experience.	prepaidcards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS01a903e0	NECESSARY	Used for load balancing to make sure the visitor page requests are routed to the same server in any browsing session.	transitprepaid.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
NSC_byjt_qpsubm	NECESSARY	This cookie is set by the F5 load balancer and is used for session persistence.	prepaid-customer.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
f5avraaaaaaaaaaaaaaaa_session_	NECESSARY	This cookie is set by F5 Networks to ensure secure and efficient delivery of its services.	oauth.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS01673899	NECESSARY	Used by the social media platform Twitter to track the user's session.	.leap.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
_nv_sess	NECESSARY	Maintains user session state for the website.	.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
ASP.NET_SessionID_W45H1A45TS80AP4OL30S	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_O39PA1098T239EM6P87T	NECESSARY	Used to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E6767UCK	NECESSARY	Preserves the visitor's session state across page requests. This cookie is essential for the operation of the website.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E676NPF1	NECESSARY	Used to maintain an anonymized user session by the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E676NPF2	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E6767QWE	NECESSARY	This cookie is used to identify the user's session on the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
domain	NECESSARY	A cookie used by web browsers to track the domain of the website	giftcity.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		being visited.		
__Secure-YNID	NECESSARY	Security cookie used by Yahoo to verify identity and prevent unauthorized access.	.youtube.com	0 year(s), 5 month(s), 28 day(s)
TS019715be	NECESSARY	Used by the website's security firewall to prevent attacks on the site.	.juno.api.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ApplicationGatewayAffinity	NECESSARY	This cookie is used by Azure Apps to keep a user session on the same server.	refer.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E6767BHFCWB	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_AXDCFT2E6767RFH	NECESSARY	Preserves the visitor's session state across page requests.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
ASP.NET_SessionID_A67O378T520REG3NRI	NECESSARY	This cookie is used by websites built on Windows-based technologies to identify the user's session on the server.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
CaptchaNRICC	NECESSARY	This cookie is set by the security provider Cloudflare to identify trusted web traffic. It does not correspond to any user ID in the web application, nor does the cookie store any personally identifiable information.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
_gat_gtag_UA_178658507_2	ANALYTICS	Used by Google Analytics to throttle request rate.	.bank.in	0 year(s), 0 month(s), 1 day(s)
_gid	ANALYTICS	ID used to identify users for 24 hours after last activity	.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
_nv_utm	ANALYTICS	Used by Google Analytics to track unique visitors.	.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
__insights_pid	ANALYTICS	Used by Inspectlet to track the behavior of visitors on websites that use Inspectlet services for analytics purposes.	.bank.in	0 year(s), 0 month(s), 1 day(s)
WZRK_G	ANALYTICS	Cookie set by WebEngage for carrying out website analytics.	.axis.bank.in	0 year(s), 11 month(s), 31 day(s)
_nv_did	ANALYTICS	This cookie is set by The Trade Desk and is used to track users across multiple	.axis.bank.in	1 year(s), 1 month(s), 5 day(s)

Name	Category	Description	Hostname	Expiry
		websites in order to present relevant advertisement based on the user's preferences.		
thx_global_guid	ANALYTICS	This cookie is used by Thomson Reuters to uniquely identify the device or browser for website analytics.	h.online-metrix.net	1 year(s), 1 month(s), 5 day(s)
_ga_990ZYE57CS	ANALYTICS	This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier.	.bank.in	1 year(s), 1 month(s), 5 day(s)
_ga	ANALYTICS	ID used to identify users	.bank.in	1 year(s), 1 month(s), 5 day(s)
_ga_7JPHG9GMT2	ANALYTICS	This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier.	.bank.in	1 year(s), 1 month(s), 5 day(s)
CLID	ANALYTICS	The cookie is set by embedded Microsoft Clarity scripts. The purpose of this cookie is for heatmap and session recording.	www.clarity.ms	0 year(s), 11 month(s), 31 day(s)
domain	ANALYTICS	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.	pfb.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
AMCV_62E3CC5956687E777F000101%40AdobeOrg	ANALYTICS	This cookie is used by Adobe Analytics to identify unique visitors.	.bank.in	1 year(s), 1 month(s), 5 day(s)
_ga_YQ1DWSP7EK	ANALYTICS	Used by Google Analytics to distinguish users.	.bank.in	1 year(s), 1 month(s), 5 day(s)
_ga_CH41PE7401	ANALYTICS	Used to distinguish unique users by assigning a randomly generated number as a client identifier.	.bank.in	1 year(s), 1 month(s), 5 day(s)
_gat_gtag_UA_246318676_1	ANALYTICS	Used by Google Analytics to throttle request rate.	.bank.in	0 year(s), 0 month(s), 1 day(s)
AMCVS_62E3CC5956687E777F000101%40AdobeOrg	ANALYTICS	This cookie is set by the Adobe Analytics service and is used to differentiate between different visitor sessions.	.bank.in	56 year(s), 2 month(s), 2 day(s)
_clck	ANALYTICS	This cookie is installed by Microsoft Clarity to store information of how visitors use a website and help in creating an	.bank.in	0 year(s), 11 month(s), 31 day(s)

Name	Category	Description	Hostname	Expiry
		analytics report of how the website is doing. The data collected including the number visitors, the source where they have come from, and the pages visited in an anonymous form.		
rxVisitor2f4io6rn	ANALYTICS	Cookie associated with analytics service provided by Redtrack.io. It is used to distinguish unique website visitors.	.bank.in	1 year(s), 1 month(s), 5 day(s)
dtSa2f4io6rn	ANALYTICS	This cookie is set by Dynatrace to collect performance data on the website.	.bank.in	56 year(s), 2 month(s), 2 day(s)
_gid	ANALYTICS	ID used to identify users for 24 hours after last activity	.bank.in	0 year(s), 0 month(s), 1 day(s)
__tr_luptv	ANALYTICS	Cookie set by Twitter to track user interactions on the website for analytics purposes.	.bank.in	0 year(s), 11 month(s), 31 day(s)
_gat	ANALYTICS	Used to monitor number of Google Analytics server requests when using Google Tag Manager	.bank.in	0 year(s), 0 month(s), 1 day(s)
_ga	ANALYTICS	ID used to identify users	.omni.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
_gat	ANALYTICS	Used to monitor number of Google Analytics server requests when using Google Tag Manager	.omni.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
ROUTEID	ANALYTICS	This cookie is set by Adobe Target to track the sequence of pages a visitor views during a session.	edgerewards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
_clsk	ANALYTICS	This cookie is installed by Microsoft Clarity to store information of how visitors use a website and help in creating an analytics report of how the website is doing. The data collected including the number visitors, the source where they have come from, and the pages visited in an anonymous form.	.bank.in	0 year(s), 0 month(s), 1 day(s)
dtCookie2f4io6rn	ANALYTICS	This cookie is set by Dynatrace and is used to track user interactions on	.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		the website for analytics purposes.		
_ga_X7TVDK6TMD	ANALYTICS	This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for site analytics reports.	.bank.in	1 year(s), 1 month(s), 5 day(s)
WZRK_G	ANALYTICS	WebEngage cookie that carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the website.	.bank.in	0 year(s), 11 month(s), 31 day(s)
dtPC2f4io6rn	ANALYTICS	This cookie is set by Dynatrace and is used to collect performance data to analyze website performance.	.bank.in	56 year(s), 2 month(s), 2 day(s)
_ga_V1M373Q7MG	ANALYTICS	Used by Google Analytics to distinguish users.	.bank.in	1 year(s), 1 month(s), 5 day(s)
_ga_990ZYE57CS	ANALYTICS	This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier.	.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
f5_cspm	ANALYTICS	This cookie name is associated with the BIG-IP product suite from company F5. It is used to monitor page load speed, as part of site performance monitoring.	maximus.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
_gid	ANALYTICS	ID used to identify users for 24 hours after last activity	.omni.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
AnalyticsSyncHistory	ANALYTICS	Used to store information about the time a sync with the lms_analytics cookie took place for users in the Designated Countries	.linkedin.com	0 year(s), 0 month(s), 30 day(s)
SM	ANALYTICS	This is a Microsoft cookie which we use to measure the use of the website for internal analytics	.c.clarity.ms	56 year(s), 2 month(s), 2 day(s)
axisbank!mboxPC	ANALYTICS	This cookie is associated with Adobe Analytics. It is used to provide an ID for a website session and to collect statistical data on	axisbank.tt.omtrdc.net	2 year(s), 0 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		how visitors use the website.		
SM	ANALYTICS	This is a Microsoft cookie which we use to measure the use of the website for internal analytics	c.clarity.ms	NaN year(s), NaN month(s), NaN day(s)
f5_cspm	ANALYTICS	This cookie name is associated with the BIG-IP product suite from company F5. It is used to monitor page load speed, as part of site performance monitoring.	digitalbanking.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
axisbank!mboxSession	ANALYTICS	This cookie is set by Adobe Experience Cloud to store a session ID that is used to recognize the user during their session.	axisbank.tt.omtrdc.net	0 year(s), 0 month(s), 1 day(s)
domain	ANALYTICS	Used to distinguish users in Google Analytics.	edgerewards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
wfx_unq	ANALYTICS	This cookie is used to track and report website traffic for analytics purposes in Workfront platform.	.bank.in	0 year(s), 3 month(s), 9 day(s)
_ga_S4K59E98BK	ANALYTICS	This cookie is used by Google Analytics to distinguish unique users by assigning a randomly generated number as a client identifier.	.bank.in	1 year(s), 1 month(s), 5 day(s)
WZRK_S_W48-76W-WW6Z	ANALYTICS	This cookie is used by WebEngage for analytics purposes to track user behavior and engagement on websites.	.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
_nv_hit	ANALYTICS	This cookie is set by New Relic and is used to log the number of page load events with corresponding load time.	.axis.bank.in	0 year(s), 5 month(s), 31 day(s)
insights-session-id	ANALYTICS	Used to track user sessions for analytics purposes on the Insights platform.	.bank.in	0 year(s), 0 month(s), 1 day(s)
_ga	ANALYTICS	ID used to identify users	.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
tmx_guid	ANALYTICS	This cookie is used for web content management, identifying trusted web traffic.	rba.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
JSESSIONID	FUNCTIONAL	JSESSIONID is a cookie generated by Servlet containers and used for	giftcity.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		session management in J2EE web applications for HTTP protocol. If a Web server is using a cookie for session management, it creates and sends JSESSIONID cookie to the client and then the client sends it back to the server in subsequent HTTP requests. JSESSIONID is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.		
AKA_A2	FUNCTIONAL	Used for Akamai's Advanced Acceleration feature, intended to improve web performance	axisbank.com	0 year(s), 0 month(s), 1 day(s)
nv_userdevice	FUNCTIONAL	Used by the Nosto platform to track user devices and deliver personalized content.	.notifyvisitors.com	1 year(s), 1 month(s), 5 day(s)
JSESSIONID	FUNCTIONAL	JSESSIONID is a cookie generated by Servlet containers and used for session management in J2EE web applications for HTTP protocol. If a Web server is using a cookie for session management, it creates and sends JSESSIONID cookie to the client and then the client sends it back to the server in subsequent HTTP requests. JSESSIONID is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.	omni.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS019ab036	FUNCTIONAL	This cookie is used by Twitter to remember the user's language preferences.	.maximus.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS019dba1b	FUNCTIONAL	Used by the social networking service, Twitter, to identify the website user's session.	.transitprepaid.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
t_pt_gid	FUNCTIONAL	Assigns a unique User ID that Taboola uses for attribution and reporting purposes, and to tailor recommendations to this	.taboola.com	0 year(s), 11 month(s), 31 day(s)

Name	Category	Description	Hostname	Expiry
		specific user.		
YSC	FUNCTIONAL	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	.youtube.com	56 year(s), 2 month(s), 2 day(s)
SRM_B	FUNCTIONAL	Collected user data is specifically adapted to the user or device. The user can also be followed outside of the loaded website, creating a picture of the visitor's behavior.	.c.bing.com	1 year(s), 0 month(s), 25 day(s)
JSESSIONID	FUNCTIONAL	JSESSIONID is a cookie generated by Servlet containers and used for session management in J2EE web applications for HTTP protocol. If a Web server is using a cookie for session management, it creates and sends JSESSIONID cookie to the client and then the client sends it back to the server in subsequent HTTP requests. JSESSIONID is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.	prepaidcards.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
application.axis.bank.in	FUNCTIONAL	Used by Axis Bank for remembering user sessions and preferences on the application platform.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
test_cookie	FUNCTIONAL	This cookie is set by DoubleClick (which is owned by Google) to determine if the website visitor's browser supports cookies.	.doubleclick.net	0 year(s), 0 month(s), 1 day(s)
SRM_B	FUNCTIONAL	Collected user data is specifically adapted to the user or device. The user can also be followed outside of the loaded website, creating a picture of the visitor's behavior.	c.bing.com	1 year(s), 0 month(s), 25 day(s)
JSESSIONID	FUNCTIONAL	JSESSIONID is a cookie generated by Servlet containers and used for session management in J2EE web applications for HTTP protocol. If a Web server is using a cookie for session management, it	paypro.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
		creates and sends JSESSIONID cookie to the client and then the client sends it back to the server in subsequent HTTP requests. JSESSIONID is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.		
at_check	FUNCTIONAL	A simple test value used to determine if a visitor supports cookies. Set each time a visitor requests a page.	.bank.in	56 year(s), 2 month(s), 2 day(s)
JSESSIONID	FUNCTIONAL	JSESSIONID is a cookie generated by Servlet containers and used for session management in J2EE web applications for HTTP protocol. If a Web server is using a cookie for session management, it creates and sends JSESSIONID cookie to the client and then the client sends it back to the server in subsequent HTTP requests. JSESSIONID is a platform session cookie and is used by sites with JavaServer Pages (JSP). The cookie is used to maintain an anonymous user session by the server.	web.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
_nv_sess_uid	FUNCTIONAL	Used to maintain a user's session on the Netvibes platform.	.axis.bank.in	0 year(s), 2 month(s), 31 day(s)
thx_guid	FUNCTIONAL	Used by the shopping cart platform, ThriveCart, to track unique identifiers related to the cart and checkout process.	rba.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
RT	FUNCTIONAL	This cookie is used to identify the visitor through an application. This allows the visitor to login to a website through their LinkedIn application for example.	.bank.in	0 year(s), 0 month(s), 7 day(s)
AKA_A2	FUNCTIONAL	Used for Akamai's Advanced Acceleration feature, intended to improve web performance	.axisbank.com	0 year(s), 0 month(s), 1 day(s)
_nv_uid	MARKETING	Used by Nosto for tracking user behaviors	.axis.bank.in	1 year(s), 1 month(s), 5

Name	Category	Description	Hostname	Expiry
		and providing personalized recommendations.		day(s)
A3	MARKETING	Ads targeting cookie for Yahoo	.yahoo.com	0 year(s), 11 month(s), 31 day(s)
dextp	MARKETING	Registers the date plus time (timestamp) on which a data synchronization was last performed by the Audience Manager.	.demdex.net	0 year(s), 5 month(s), 28 day(s)
aam_uuid	MARKETING	Adobe Audience Manager - data management platform uses these cookies to assign a unique ID when users visit a website.	.axis.bank.in	0 year(s), 0 month(s), 30 day(s)
taboola_session_id	MARKETING	Creates a temporary session ID to avoid the display of duplicate recommendations on the page.	.taboola.com	56 year(s), 2 month(s), 2 day(s)
everest_g_v2	MARKETING	This cookie stores the browser and surfer ID.Created after a user initially clicks a client's ad, and used to map the current and subsequent clicks with other events on the client's website	.everesttech.net	0 year(s), 11 month(s), 31 day(s)
VISITOR_PRIVACY_METADATA	MARKETING	Youtube visitor privacy metadata cookie	.youtube.com	0 year(s), 5 month(s), 28 day(s)
li_sugr	MARKETING	Used to make a probabilistic match of a user's identity outside the Designated Countries	.linkedin.com	0 year(s), 2 month(s), 30 day(s)
ad-id	MARKETING	Clickthroughs to Amazon websites: Noting how the user got to Amazon via this website	.amazon-adsystem.com	0 year(s), 6 month(s), 29 day(s)
bscookie	MARKETING	Used by LinkedIn to track the use of embedded services.	.www.linkedin.com	0 year(s), 11 month(s), 31 day(s)
MR	MARKETING	Used to collect information for analytics purposes.	.bat.bing.com	0 year(s), 0 month(s), 7 day(s)
ANONCHK	MARKETING	Used to store session ID for a users session to ensure that clicks from adverts on the Bing search engine are verified for reporting purposes and for personalisation	.c.clarity.ms	0 year(s), 0 month(s), 1 day(s)
ANONCHK	MARKETING	Used to store session ID for a users session to ensure that clicks from	c.clarity.ms	0 year(s), 0 month(s), 1 day(s)

Name	Category	Description	Hostname	Expiry
		adverts on the Bing search engine are verified for reporting purposes and for personalisation		
__Secure-ROLLOUT_TOKEN	MARKETING		youtube.com	0 year(s), 5 month(s), 28 day(s)
_uetvid	MARKETING	This is a cookie utilised by Microsoft Bing Ads and is a tracking cookie. It allows us to engage with a user that has previously visited our website.	.bank.in	1 year(s), 0 month(s), 25 day(s)
_fbp	MARKETING	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	.bank.in	0 year(s), 2 month(s), 30 day(s)
VISITOR_INFO1_LIVE	MARKETING	Tries to estimate the users' bandwidth on pages with integrated YouTube videos. Also used for marketing	.youtube.com	0 year(s), 5 month(s), 28 day(s)
bcookie	MARKETING	Used by LinkedIn to track the use of embedded services.	.linkedin.com	0 year(s), 11 month(s), 31 day(s)
personalization_id	MARKETING	Unique value with which users can be identified by X. Collected information is used to be personalize X services, including X trends, stories, ads and suggestions.	.twitter.com	1 year(s), 1 month(s), 5 day(s)
MR	MARKETING	Used to collect information for analytics purposes.	.c.bing.com	0 year(s), 0 month(s), 7 day(s)
MR	MARKETING	Used to collect information for analytics purposes.	bat.bing.com	0 year(s), 0 month(s), 7 day(s)
mbox	MARKETING	Adobe Target uses cookies to give website operators the ability to test which online content and offers are more relevant to visitors.	.bank.in	1 year(s), 1 month(s), 5 day(s)
_gcl_au	MARKETING	Used by Google AdSense for experimenting with advertisement efficiency across websites using their services.	.bank.in	0 year(s), 2 month(s), 30 day(s)
_uetsid	MARKETING	This cookie is used by Bing to determine what ads should be shown that may be relevant to the end user perusing the site.	.bank.in	0 year(s), 0 month(s), 1 day(s)

Name	Category	Description	Hostname	Expiry
demdex	MARKETING	Unique value with which Audience Manager can identify a user. Used, among others, for identification, segmentation, modeling and reporting purposes.	.demdex.net	0 year(s), 5 month(s), 28 day(s)
DST	MARKETING	This cookie is set by Facebook to deliver advertising when you are on Facebook or a Facebook advertising partner's site, and measures the effectiveness of ads.	.demdex.net	0 year(s), 5 month(s), 28 day(s)
t_gid	MARKETING	This Partitioned cookie gives a user who interacts with Taboola Widget a User ID allowing us to target advertisements and content to this specific user ID.	.taboola.com	0 year(s), 11 month(s), 31 day(s)
axisbank!mboxPC	MARKETING	This cookie is associated with the Adobe Marketing Cloud; it is used to deliver personalized marketing content.	.axisbank.tt.omtrdc.net	1 year(s), 1 month(s), 5 day(s)
dpm	MARKETING	DPM is an abbreviation for Data Provider Match. It tells internal, Adobe systems that a call from Audience Manager or the Adobe Experience Cloud ID Service is passing in customer data for synchronization or requesting an ID.	.dpm.demdex.net	0 year(s), 5 month(s), 28 day(s)
__Secure-ROLLOUT_TOKEN	MARKETING		.youtube.com	0 year(s), 5 month(s), 28 day(s)
UserMatchHistory	MARKETING	These cookies are set by LinkedIn for advertising purposes, including: tracking visitors so that more relevant ads can be presented, allowing users to use the 'Apply with LinkedIn' or the 'Sign-in with LinkedIn' functions, collecting information about how visitors use the site, etc.	.linkedin.com	0 year(s), 0 month(s), 30 day(s)
muc_ads	MARKETING	These cookies are placed when you come to our website via X. A cookie from X is also placed on our website, with which we can later show a	.t.co	1 year(s), 1 month(s), 5 day(s)

Name	Category	Description	Hostname	Expiry
		relevant offer on X		
MR	MARKETING	Used to collect information for analytics purposes.	c.clarity.ms	0 year(s), 0 month(s), 7 day(s)
domain	MARKETING	This cookie is set by DoubleClick (which is owned by Google) to help build a profile of your interests and show you relevant ads on other sites.	traveledge.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
WZRK_S_W48-76W-WW6Z	MARKETING	This cookie is used for gathering analytics and user behavior data on the website.	.bank.in	0 year(s), 0 month(s), 1 day(s)
axisbank!mboxSession	MARKETING	This cookie is set by Adobe Experience Cloud to facilitate the delivery of targeted content based on user interaction with the website.	.axisbank.tt.omtrdc.net	0 year(s), 0 month(s), 1 day(s)
IDE	MARKETING	This cookie is used for targeting, analyzing and optimisation of ad campaigns in DoubleClick/Google Marketing Suite	.doubleclick.net	1 year(s), 1 month(s), 5 day(s)
lidc	MARKETING	Used by the social networking service, LinkedIn, for tracking the use of embedded services.	.linkedin.com	0 year(s), 0 month(s), 1 day(s)
ad-privacy	MARKETING	Provided by amazon-adsystem.com for tracking user actions on other websites to provide targeted content to the users.	.amazon-adsystem.com	1 year(s), 1 month(s), 5 day(s)
MUID	MARKETING	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	.bing.com	1 year(s), 0 month(s), 25 day(s)
MR	MARKETING	Used to collect information for analytics purposes.	.c.clarity.ms	0 year(s), 0 month(s), 7 day(s)
MUID	MARKETING	Identifies unique web browsers visiting Microsoft sites. These cookies are used for advertising, site analytics, and other operational purposes.	.clarity.ms	1 year(s), 0 month(s), 25 day(s)
MR	MARKETING	Used to collect information for analytics	c.bing.com	0 year(s), 0 month(s), 7

Name	Category	Description	Hostname	Expiry
		purposes.		day(s)
muc_ads	MARKETING	These cookies are placed when you come to our website via X. A cookie from X is also placed on our website, with which we can later show a relevant offer on X	t.co	1 year(s), 11 month(s), 30 day(s)
_twpid	MARKETING	This cookie stores data about how the user uses the website and any other advertisement before visiting the website. This is used to present users with ads that are relevant to them according to the user profile.	.bank.in	1 year(s), 0 month(s), 25 day(s)
aam_uuid	MARKETING	Adobe Audience Manager - data management platform uses these cookies to assign a unique ID when users visit a website.	.leap.axis.bank.in	0 year(s), 0 month(s), 30 day(s)
_nv_push_error	OTHER	This cookie is likely domain-specific and its purpose may vary depending on the website it is used on.	.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
MaxAttempt	OTHER	The purpose and use of this cookie could not be determined as it is not a common or well-documented cookie.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
NSC_byjt_xfc	OTHER	This cookie appears to be specific to a certain application or service for which the details are not readily available.	prepaid-customer.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
my_cookie	OTHER	No specific information available about this cookie.	neo.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
TS01f01f70	OTHER	This cookie is set by Tencent Cloud CDN services. It is used for session security.	.nfc.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
OTPCount	OTHER	The purpose of this cookie is unknown.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)
__Secure-YEC	OTHER	This cookie is likely a Secure cookie used for security purposes, but specific information is not readily available.	.youtube.com	2 year(s), 8 month(s), 26 day(s)
KpoHbBxNeO	OTHER	No specific information found for the cookie name KpoHbBxNeO.	application.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Name	Category	Description	Hostname	Expiry
key	OTHER	The purpose and specific details of this cookie are not readily available online.	prepaid-customer.axis.bank.in	0 year(s), 0 month(s), 1 day(s)
EIPQawDx	OTHER	Detailed information about this cookie could not be found.	.axis.bank.in	1 year(s), 1 month(s), 5 day(s)
undefined	OTHER	The cookie name provided ('undefined') is commonly used as a placeholder or default value when an actual cookie name is not defined. It does not have a specific description or purpose.	.bank.in	0 year(s), 0 month(s), 1 day(s)
filterbrand	OTHER	The purpose of the filterbrand cookie is unknown and may vary depending on the website where it is set.	grabdeals.axis.bank.in	56 year(s), 2 month(s), 2 day(s)

Total cookie detail rows included: 213